

NT HYBRID TROLLEY

GRAB, POSITION AND LIFT!

Grab, pull and slide the NT Hybrids in the right **Position** under the object or load, unroll the hoses and **Lift**.

RESQTEC®

WWW.RESQTEC.COM

NT HYBRID TROLLEY
GRAB, POSITION AND LIFT!







20 YEARS
OF HIGH
PERFORMANCE



NT HYBRID BAGS
STRONGEST, SMALLEST, SMARTEST, SAFEST

Being used in (rescue and recovery) operations for 20 years, the NT Hybrid lifting bags have proven their high performance and reliability in unlimited situations and environments.

- ***Highest power to weight ratio***
- ***Applicable to unlimited situations*** from a car to the largest aircraft
- ***Stackable*** use single, together or stack up to 3 bags
- ***Stability Center*** lift higher with more stability





NT HYBRID TROLLEY

PATENT PENDING

GRAB, POSITION AND LIFT!

Grab, pull and slide the NT Hybrid bags quick and easy into Position, simply unroll and connect the hoses and Lift. Disconnect NT's and use independently or together (NT2 on top of NT4) for flexibility with integrated LED lighting for easy positioning. Compatible with Cribbing blocks.

- ***READY "TO GO" WITH INTEGRATED HOSE REEL***
- ***LIGHTWEIGHT, COMPACT WITH LOW INSERTION HEIGHT***
- ***FLEXIBILITY! USE INDIVIDUALLY OR STACKED***



NT HYBRID TROLLEY	NT2	NT4
Max. operating pressure	12 bar	12 bar
Max. lifting capacity	26 tonnes	70 tonnes
Max. lifting capacity at max. lifting height	6.2 tonnes	9.5 tonnes
Insertion height	90 mm	90 mm
Max. lifting height	563 mm	453 mm
Effective lifting height	490 mm	400 mm
Weight	23 kg	26 kg
Safety factor	> 4	> 4
Diameter	670 mm	860 mm
Storage size L x W x H	690 x 670 x 148 mm	960 x 977 x 135 mm

Incl. LED Lighting 800/400 lumen (excl. 18650 battery cell)

- ***Optional*** NT Hybrid Trolley accessory bag containing:

- Handheld dual controller 12 bar
- Regulator c/w 2m black rubber inlet hose
- Connector key
- Hexagon polar plug 3 x

Also available in Compact version without handle and wheels. Contact us for information.

NT HYBRID TROLLEY

GRAB, POSITION AND LIFT!



ABLE TO DISCONNECT BAGS OR COMBINE NT4 AND NT2 ON ONE TROLLEY FOR FLEXIBILITY




ABILITY TO EXTEND AND DISCONNECT HANDLE

INTEGRATED HOSE REEL EASILY UNREEL THE HOSES



INTEGRATED WITH LED LIGHT EASILY POSITION AND SEE THE LIFT

INTEGRATION WITH CRIBBING BLOCKS



Copyright All of the information and material inclusive of text, images, logos, product names is either the property of, or used with permission by Resqtec. The information may not be distributed, modified, displayer, reproduced – in whole or in part – without the prior written permission by Resqtec.

Trademarks Resqtec, its logos and other Resqtec products and services referenced herein are trademarks of Resqtec, and may be registered in certain jurisdictions. All other product names, company names, marks and logos referenced may be trademarks of their respective owners. Hurst and Jaws of Life are the registered trademarks of Hurst Jaws of Life, Inc.

Disclaimer All information herein was carefully gathered and examined. However, we cannot be held responsible for eventual mistakes or incompleteness. Resqtec may exercise the right to change or modify parts at any time without notification. The content may be subject to error, revision and technical modifications. Resqtec accepts no liability for the consequences of activities undertaken based on the contents.

RESQTEC Zumro B.V.
Meer en Duin 82 I 2163 HC Lisse, the Netherlands
T +31 (0)252 419002 F +31 (0)252 411794 E info@resqtec.com

RESQTEC®
WWW.RESQTEC.COM