


SCHUBERTH

Helmet Lineup



SCHUBERTH



MADE WITH PASSION.

For 70 years.

HIGH-PERFORMANCE FIREFIGHTER HELMETS – PERFECT FUNCTIONALITY AND MAXIMUM COMFORT

For 70 years, Schubert firefighter helmets have guaranteed their wearers the highest level of safety and “Made in Germany” quality, combined with unmatched comfort in the firefighter helmet segment.

They are specially designed for all operational conditions, particularly indoor firefighting, and comply with the improved standards and stricter testing criteria of DIN EN 443:2008.

In addition, the latest findings regarding material properties and manufacturing technology contribute to the optimization of protective equipment. This is intended to progressively reduce the risk of injury during firefighting operations.



STANDARDS AND CERTIFICATIONS

EN
443

Standard: EN 443:2008

EN
16471

Standard: EN 16471

EN
16473

Standard: EN 16473

EN
14458

Standard: EN 14458

EN
166

Standard: EN 166



SOLAS certification for
shipboard firefighting

OPTIONAL PROTECTION FEATURES



Use at low
temperatures to -40 °C



Resistance against contact
with liquid chemicals



Electrical insulation of the wet
firefighter helmet and the helmet shell



THERE IS A LITTLE OF FORMULA 1 IN EVERY SCHUBERTH FIREFIGHTER HELMET.

Years of experience from the premier class of motorsport and its highest demands on safety have shaped our philosophy and are incorporated into the development of every SCHUBERTH high-performance firefighter helmet.

Our claim is not only meeting standards specifications, but exceeding them. Our engineers are constantly researching new materials and solutions in order to live up to our mission statement: developing the helmets of tomorrow for the hardest jobs.

WE ARE SCHUBERTH.





100 MACHINE WASHES.

Our quality for your safety.

Your health is non-negotiable

Deep cleaning and decontamination that reliably removes carcinogenic PAHs and harmful substances from your PPE can only be achieved through a machine wash cycle. That is why we focused on the cleanability of our firefighter helmets during development.

Maximum decontamination

To ensure maximum cleaning and decontamination, we were the first to establish a new industry standard of 100 machine wash cycles for firefighter helmets. In doing so, we are setting new benchmarks in health protection, quality, and cost-effectiveness.

Safety is no accident

Our helmets have been tested by independent experts for their machine-washability. Even after 100 wash cycles, the helmet's protective function remains intact in accordance with standard requirements.

YOU MAKE THE CALL. WE DELIVER THE PROTECTION.

CLEAN AND SAFE.

MAXIMUM FLEXIBILITY WITH THREE CLEANING.

SCHUBERTH works with independent PPE cleaning experts and testing laboratories to continuously refine various cleaning methods for our firefighter helmets. This enables every fire department to ensure the safety and health of its personnel.


For more information, speak with our helmet experts.

We support



01 Decontamination wipe

The decontamination wipe allows you to quickly decontaminate the smooth surfaces of a contaminated SCHUBERTH helmet right at the scene. For a thorough cleaning, we recommend the cleaning procedures described below.



02 Basket rinsing

In addition to standard procedures, a rinsing process specifically extended for SCHUBERTH was tested. Combined with a reduced use of cleaning chemicals, a process was developed that is particularly gentle on materials while still achieving the highest decontamination rates to date.



03 Drum Cleaning

Highest cleaning efficiency with maximum protection for the material. User-friendly operation for cleaning multiple helmets at the same time—SCHUBERTH has tested the suitability of this cleaning method and optimized it for you.

YOU MAKE THE CALL.

WE DELIVER THE PROTECTION.



F400 FIBERTECH



YOU MAKE THE CALL WE DELIVER THE PROTECTION

- Innovative helmet shell design for maximum freedom of movement—with the comfort of a half-shell
- Optimal, infinitely adjustable weight distribution—tool-free while wearing
- Multi-Function Adapter (MFA-Fire)—accessories for every operational scenario
- Accessories can be swapped out even during operations
- Interior lining individually and precisely adjustable
- Unmatched comfort with an optimized helmet weight of 1490 g

FARBEN

-  Luminescent
-  High-viz yellow
RAL 1026
-  Yellow luminescent
RAL 1026
-  Red
RAL 3002
-  White
RAL 9010
-  Black
RAL 9005

Designed for everyone who protects and serves, the F400 combines cutting-edge innovation with the highest levels of comfort, functionality, and safety. The design was developed through close collaboration with experienced firefighters and SCHUBERTH's world-class development team.

Designed for performance. Built for protection.

At the heart of the F400 FiberTech is SCHUBERTH's patented adjustment system, which offers unparalleled comfort and fit. Thanks to its dual-wheel design, the helmet adjusts to any head size without tools, ensuring a balanced and personalized fit in seconds.

The shell of the F400 FiberTech is made from durable thermoset plastic. SCHUBERTH draws on its decades of experience with glass-fiber-reinforced composites. The result is outstanding heat resistance and structural integrity, even under extreme conditions.

Clear vision. Optimal protection.

Every F400 FiberTech comes with an integrated visor of the highest optical class, ensuring a clear view. For enhanced performance, users can upgrade to an iridium-coated visor or add an additional, integrated eye protection feature, available in clear and tinted versions.





Ready for any task – The MFA Concept

A standout feature of the F400 FiberTech is its compatibility with SCHUBERTH's proven MFA (Multifunctional Adapter) concept. This modular system allows for quick and easy attachment of accessories from the MFA family. Best of all, accessories from the previous F300 models remain fully compatible—delivering flexibility and added value without compromise.

Proven innovation. Trusted expertise.

As a global leader in head protection, SCHUBERTH is committed to meeting and exceeding the highest standards of safety and performance. With the F400 FiberTech, SCHUBERTH proves that comfort, quality, and innovation can coexist in a single helmet—without compromise.

ACCESSORIES.

F400



NECK PROTECTOR

Neck Protector
NPH4 Nomex® blue



- Nomex Nackenschutz
- 3-layer
- with strap

Holland cloth
HTH4



- Stand-up collar
- PBI
- blue
- with strap

LIGHTING

Helio II Pro



- frontlight
- up to 180lm
- up to 7h runtime
- buddylight
- ATEX

Helio Performance



- frontlight
- up to 180lm
- up to 7h runtime
- ATEX

ADAPTER & PADS

Mask connection
for helmet-mask combination



- For attaching respirator masks
- Attachment to a helmet

Chin-cheek-pads



- Comfort padding

ACCESSORIES.

F400



EYE PROTECTION

IV2 Eye Protection clear



- Internal eye protection
- AS/AS coated
- clear

IV2 Eye Protection tinted



- Internal eye protection
- AS/AS coated
- tinted

VISORS

VF4 Visor clear



- Visor clear
- AS/AS coated

VF4 Visor Iridium



- Visor Iridium
- AS/AS coated

YOU MAKE THE CALL.

WE DELIVER THE PROTECTION.





MULTIFUNCTIONAL MASTER.

With unbeaten wearing comfort.



F300



MULTIFUNCTIONAL MASTER

- Innovative helmet shell design for maximum freedom of movement
- Unrestricted directional hearing
- Multi-Function Adapter (MFA-Fire) – accessories for every operational scenario
- Accessories can be swapped out even during operations
- Interior fittings can be customized and precisely adjusted
- Unmatched comfort with an optimized helmet weight of 900 g (size M)
- Spare parts can be replaced without tools



FARBEN



Luminescent



High-viz yellow
RAL 1026



Yellow luminescent
RAL 1026

Forget heavy gear that slows you down on the job. The F300 redefines ergonomics. Weighing in at a mere 900 grams, it noticeably reduces strain on your neck muscles—even during long shifts. Compact in design yet uncompromising in protection, the F300 is the ideal companion for modern first responders.

In confined spaces—such as when used by first responders at traffic accidents—the F300 offers the protection of a full-featured firefighter's helmet without hindering emergency personnel in their work due to its size and ergonomic design. This makes it the perfect helmet for emergency medical services as well.

One helmet – endless possibilities

At the heart of the helmet is our MFA system. No matter what situation you face, the F300 adapts to your needs in seconds—no tools required. Whether it's a helmet lamp, hearing protection, or a visor, one click and the gear is in place.

When it's time to fire up the chainsaw, safety comes first. Thanks to the MFA system, the hearing protection and mesh visor can be attached in a flash, and the helmet is ready for action.





Precision in Rescue Operations

Whether you're working with hydraulic rescue equipment or providing general technical assistance, the Rescue Visor offers clear visibility and optimal protection. Thanks to its compact and lightweight design, the F300 provides maximum protection even in confined spaces without restricting freedom of movement.

Ready for the extreme

Our high-temperature fiber helmet shell is designed for maximum heat resistance. Combined with the universal facepiece attachment, the F300 is ready for indoor firefighting operations.

No matter what situation you face, thanks to our MFA system, the F300 is the chameleon of firefighter helmets.

ACCESSORIES.

F300



LIGHTING & ADAPTER

Torch Parat PX1 SHORTY



- 80 lm
- 8-hour runtime
- Rear switch
- Battery
- ATEX

Set for torch connection LH3



- Set for torch connection for MFA-System
- Compatible with Parat PX1 Shorty

VISORS

Visor VF3 Rescue



- Visor for technical rescue
- Available in AS/AS and AS/AF

Visor VF3 HighTemp



- heat-resistant visor
- Suitable for use in high-temperature environments

Visor VF3 Wire



- Visor for sawing

ACCESSORIES.

F300



NECK PROTECTOR

Neck Protector
NPH3 Nomex® blue



- Nomex neck protector
- 3-layer
- with snap fasteners

Holland Cloth
HTH3



- Stand-up collar
- PBI
- blue
- with snap buttons

PBI Holland Cloth
HTH3



- Stand-up collar
- PBI
- yellow
- with snap buttons

HEARING PROTECTION

SH-HP EXC



- Passive hearing protection
- Ideal for use in environments with moderate to high noise levels

SH-HP HPE



- Passive hearing protection
- Ideal for use in environments with noise levels exceeding 110 dB

ADAPTER & PADS

Hearing protection adapter



- Adapter for SORDIN hearing protection
- Compatible with SH-HP HPE and SH-HP EXC

Mask connection
for helmet-mask combination



- For attaching respirator masks
- Attachment to a helmet

Neck pad



- Comfort padding

A LIGHTWEIGHT CHAMPION.

Undefeated in its class.



F220



THE UNDEFEATED ALL-ROUNDER

- Proven 3/4 helmet shell design
- Internal visor tested in accordance with EN 14458:2004
- 3-point chin-and-neck strap
- Unmatched comfort with an optimized helmet weight of 1150 g
- Spare parts can be replaced without tools
- Multi-adaptation lock for a wide range of accessories
- Headlamp mount

FARBEN

-  Luminescent
-  High-viz yellow
RAL 1026
-  Yellow luminescent
RAL 1026

ZUBEHÖR.

F220



LIGHTING & ADAPTER

Headlamp (front)
SH-UK 3AAA Vizion*



- 65 lm
- 17-hour runtime
- Rear switch
- Battery
- ATEX

Torch
Parat PX1 SHORTY



- 80 lm
- 8-hour runtime
- Rear switch
- Battery
- ATEX

Plug-in adapter Ultra Lux S



- Torch mount for F200
- Compatible with Parat PX1 Shorty

*EEx-certified (Ex) in accordance with the latest European (ATEX)

NECK PROTECTOR & HOLLAND CLOTH

Neck protector
NPH1/2 Nomex® blue



- Nomex neck protector
- with strap

Neck protector
NPH1/2 Classic leather



- Leather neck protector
- with strap

Holland cloth
HTH1/2



- Stand-up collar
- PBI
- blue
- with strap

Holland cloth PBI
HTH1/2



- Stand-up collar
- PBI
- yellow
- with strap

PADS

Neck pad



- Comfort padding

DATEN & FAKTEN.

	F400	F300	F220
Helmet shape	Typ B (full shell)	Type A (half shell)	Type A (3/4 shell)
Material	Duroplast (HighTemp fibre)	Duroplast (HighTemp fibre)	Duroplast (HighTemp fibre)
Head size	49-67 cm	M: 48 – 58 cm L: 59 – 65 cm	52 – 65 cm
Weight	1480g ± 3%	Without mounted accessories M: approx. 900 g, L: approx. 1000 g	approx. 1150 g
Certification	EN 443:2008, EN 16471:2014, EN 16473:2014, SOLAS	EN 443:2008, SOLAS	EN 443:2008, SOLAS
Inner shell	PU inner shell high-temperature resistant	PU inner shell high-temperature resistant	PU inner shell high-temperature resistant
Interior Design	Adjustment of the center of gravity via an internal twist lock Head circumference adjustment via an external twist lock Height-adjustable head support net with Velcro fastener (ensures high comfort through optimal weight distribution on the head and a custom fit for different head shapes)	Head width adjustment with turn lock Individually adjustable chin-neck strap (with Velcro fastening, clamp buckle and gripping aids at the front) Wearing height adjustable using Velcro fastener (enables more wearing comfort through optimal weight distribution on the head and individual fit for different head shapes)	Head width adjustment with turn lock Height adjustable lining with wearing net Head support ring with ecosweat leather (suitable for allergy sufferers),
Closure system	4-point chin-neck strap made of Nomex® webbing with quick lock, height and width can be individually adjusted	3-point chin-neck strap made of Nomex® webbing with quick lock, height and width can be individually adjusted	Head width adjustment with turn lock Height adjustable lining with wearing net Head support ring with ecosweat leather (suitable for allergy sufferers),
Colours	 Luminescent Sonderfarben:  High-vis yellow RAL 1026  Yellow luminescent RAL 1026  Red RAL 3002  White RAL 9010  Black RAL 9005	 Luminescent Sonderfarben:  High-vis yellow RAL 1026  Yellow luminescent RAL 1026	 Luminescent Sonderfarben:  High-vis yellow RAL 1026  Yellow luminescent RAL 1026



THE EXPERTS IN HEAD PROTECTION.

Subject to change without notice. Last updated: 05/2026

JOIN THE COMMUNITY.



@schuberthfire
#schuberthonfire



SCHUBERTH GMBH

Stegelitzer Str. 12
39126 Magdeburg Germany
Tel: +49 (0)391 8106-0
feuerwehr@schuberth.com
www.schuberth.com



SCHUBERTH